

ERSATZTEILLISTE FÜR

# ROLLERMOWER 8400



Mehr als grüne Technik.

**KRENGEL**

## **Kontakt und Ersatzteilbestellung:**


Krengel Landtechnik GmbH & Co. KG

Tel.: 02933 97 92 - 0

Email: [info@krengel.de](mailto:info@krengel.de)

Fax: 02933 97 92 - 22

## 8400GR Rollermower




| Item | Part No         | Description                | Qty |
|------|-----------------|----------------------------|-----|
| 1    | Swinging Blades | Anti Clockwise - see pg 38 | 2   |
| 2    | Swinging Blades | Clockwise - see pg 38      | 2   |
| 3    | 84RM-FAB        | 8400 BODY                  | 1   |
| 4    | 84RM-RDT        | DEFLECTOR TUBE             | 4   |
| 5    | 84RM-SB1        | 8400 SCRAPER               | 2   |
| 6    | GM84-55L        | 8400 DRIVE TUBE (LONG)     | 2   |
| 7    | GM84-ROL        | 8400 ROLLER                | 2   |
| 8    | GM84/COV        | GEARBOX COVER              | 1   |
| 9    | 1/2F            | 1/2" FINE NYLOC NUT        | 24  |

## 8400GR Rollermower - Parts Listing

| Item | Part No         | Description                   | Qty |
|------|-----------------|-------------------------------|-----|
| 10   | 12FTHRAS        | THREADED HEIGHT ADJUSTER      | 4   |
| 11   | 12GMRA2L        | HEIGHT ADJUSTER (LH)          | 1   |
| 12   | 12GMRA2R        | HEIGHT ADJUSTER (RH)          | 1   |
| 13   | 12x3FSKS        | 1/2"x3" FINE SOCKET HEAD 12.9 | 24  |
| 14   | 190.000.545     | PTO GUARD (EXTENDED OVAL)     | 1   |
| 15   | 199099          | DIA 15-17mm INSERT            | 2   |
| 16   | LF205H          | 6 SPLINE "L" BOX RATIO 1.92   | 2   |
| 17   | LF205TH         | 6 SPLINE "T" BOX RATIO 1.92   | 2   |
| 18   | 5/8F            | 5/8" FINE NYLOC NUT           | 16  |
| 19   | 58x2FBZP        | 5/8"x2" FINE BOLT             | 16  |
| 20   | 60CSD           | 60mm STAR DRIVE               | 2   |
| 21   | 8-6-7-00161     | 3/8" VALVE BREATHER           | 5   |
| 22   | 8GMSTRP         | 8400 RM STRAP (3530mm)        | 1   |
| 23   | EW29A           | 5/8" "D" SHACKLE              | 3   |
| 24   | FWM12           | M12 FLAT WASHER               | 8   |
| 25   | FWM20           | M20 FLAT WASHER               | 8   |
| 26   | FWM8            | M8 FLAT WASHER                | 4   |
| 27   | GM2             | STANDARD A-FRAME              | 1   |
| 28   | GM84DRV         | 6 SPLINE STAR DRIVE           | 4   |
| 29   | LS002           | ANTI VIBRATION RUBBER         | 7   |
| 30   | M12             | M12 NYLOC NUT                 | 16  |
| 31   | M12x100BZP      | M12x100 BOLT                  | 4   |
| 32   | M12x30SZP       | M12x30 SET BOLT               | 4   |
| 33   | M12x40BZP       | M12x40 BOLT                   | 4   |
| 34   | M12x50SZP       | M12x50 SET BOLT               | 2   |
| 35   | M12x60BZP       | M12x60 BOLT                   | 4   |
| 36   | M20             | M20 NYLOC NUT                 | 2   |
| 37   | M20HEX          | M20 PLAIN NUT                 | 4   |
| 38   | M20x120BZP      | M20x120 BOLT                  | 2   |
| 39   | M8x16SZP        | M8x16 SET BOLT                | 8   |
| 40   | NT55A           | RUBBER COUPLING               | 4   |
| 41   | RM-M20C         | ROLLER ADJUSTER CAP NUT       | 4   |
| 42   | RMORA-1         | OFFSET HEIGHT ADJUSTER (RH)   | 1   |
| 43   | RMORA-2         | OFFSET HEIGHT ADJUSTER (LH)   | 1   |
| 44   | S15707          | CAT 1/2 LINK PIN              | 2   |
| 45   | 3546            | LINCH PIN DIA 9.5             | 2   |
| 46   | 849             | GREASE NIPPLE M6 STR          | 4   |
| 47   | SW58            | 5/8" SPRING WASHER            | 16  |
| 48   | SWM12           | M12 SPRING WASHER             | 4   |
| 49   | T27A            | 6 SPLINE "T" BOX RATIO 1.92   | 1   |
| 50   | T500810ENC12RW6 | FIXED SLIP CLUTCH 1200 Nm     | 1   |
| 51   | 12T-BBS         | BLADE BACK SPACER             | 4   |
| 52   | RM-RSN3         | SHAFT COLLAR DIA 35           | 4   |
| 53   | 84RM-RD1        | REAR DEFLECTOR                | 1   |
| 54   | 84RM-RD1H       | REAR DEFLECTOR                | 1   |
| 55   | 9TGT-CB         | GEARBOX COVER BRKT            | 2   |
| 56   | GM6-4F          | GEARBOX REINF"                | 4   |
| 57   | GM84-USC        | UNDERSIDE COVER               | 1   |
| 58   | GM84-USCH       | UNDERSIDE COVER               | 1   |
| 59   | RM-RSN2         | ROLLER MOUNT                  | 4   |
| 60   | RM-RSN4         | SCRAPER MOUNT                 | 4   |


## 6300GR and 8400GR Trailed Rollermower




| Item | Part No     | Description             | Qty |
|------|-------------|-------------------------|-----|
| 1    | 84RM-ADAX01 | 8400 AXLE               | 1   |
| 2    | 84RM-ADAX20 | AXLE PIVOT PIN          | 2   |
| 3    | 84RM-ADDB01 | 8400 DRAWBAR            | 1   |
| 4    | 84RM-ADHT01 | 8400 HITCH              | 1   |
| 5    | 84RM-ADHT10 | 8400 COUPLING MOUNT     | 1   |
| 6    | 111070      | DIA 50.5-54mm INSERT    | 2   |
| 7    | 199211      | SQ 52-54mm INSERT (POL) | 2   |
| 8    | 199269      | DIA 57.5-61.5mm INSERT  | 2   |
| 9    | 1F          | 1" FINE NYLOC NUT       | 2   |
| 10   | 1x5FBZP     | 1"x5" FINE BOLT         | 2   |
| 11   | 26120012    | DIA 650x320mm           | 2   |
| 12   | AGI2RAM_B   | AGITATOR RAM            | 1   |

| Item | Part No     | Description        | Qty |
|------|-------------|--------------------|-----|
| 13   | BD16-2NH-50 | 50mm BALL HITCH    | 1   |
| 14   | FW1         | DIA 1" FLAT WASHER | 2   |
| 15   | M12         | M12 NYLOC NUT      | 10  |
| 16   | M12x100BZP  | M12x100 BOLT       | 2   |
| 17   | M12x30SZP   | M12x30 SET BOLT    | 4   |
| 18   | M12x35BZP   | M12x35 BOLT        | 2   |
| 19   | M12x90BZP   | M12x90 BOLT        | 2   |
| 20   | M16         | M16 NYLOC NUT      | 4   |
| 21   | M16x40SZP   | M16x40 SET BOLT    | 4   |
| 22   | M20         | M20 NYLOC NUT      | 2   |
| 23   | M20x110BZP  | M20x110 BOLT       | 2   |
| 24   | 84RM-ADAX25 | RAM SPACER BUSH    | 1   |

### Anti Clockwise Mulching Blade




### Clockwise Mulching Blade



| Item | Part No    | Description              | Qty per rotor |
|------|------------|--------------------------|---------------|
| 1    | 1/2F       | Nyloc Nut                | 4             |
| 2    | 12X212FBZP | Bolt                     | 4             |
| 3    | 84RM-SB01  | Swing Blade (Anti Clock) | 2             |
|      | 84RM-SB02  | Swing Blade (Clock)      | 2             |
| 4    | 84RM-SBB   | Blade Back (285 ctr)     | 2             |
|      | 84RM-SBB2  | Blade Back (370 ctr)     | 2             |
| 5    | 84RM-SBOL  | Overlap Blade            | 2             |
| 6    | DF-BMP     | Mounting Plate           | 1             |
| 7    | FWM16      | Washer                   | 4             |
| 8    | M16        | Nyloc Nut                | 2             |
| 9    | M16X60BZP  | M16 X 60 Bolts Plated    | 2             |
| 10   | 12T-BBS    | Spacer                   | 4             |
| 11   | 84RM-SBOB  | Overlap Bush             | 2             |

## SWINGING BLADE SYSTEMS - Standard system on: 6300, 8400, 11000, 15000 & TDR Models


### 640-SBL - 640 Swing Blade (Anti Clockwise)



| MACHINE | QTY   |
|---------|-------|
| 6300    | 1 OFF |
| 8400    | 1 OFF |

| Item | Part No   | Description            | Qty |
|------|-----------|------------------------|-----|
| 1    | 1/2F      | 1/2" Nyloc Nut         | 4   |
| 2    | 12x2FBZP  | 1/2"x2" FINE BOLT      | 4   |
| 3    | 84RM-SB01 | SWING BLADE (Anti-Clk) | 2   |
| 4    | 84RM-SBB  | BLADE BACK (285 CTR)   | 2   |
| 5    | DF-BMP    | BLADE MOUNT            | 1   |
| 6    | FWM16     | M16 FLAT WASHER        | 4   |
| 7    | M16       | M16 NYLOC NUT          | 2   |
| 8    | M16x50BZP | M16x50 BOLT            | 2   |
| 9    | 84RM-SBBB | BLADE BUSH             | 2   |
| 10   | 8SM9/3    | BLADE BACK SPACER      | 4   |

### 640-SBR - 640 Swing Blade (clockwise)



| MACHINE | QTY   |
|---------|-------|
| 8400    | 1 OFF |

| Item | Part No   | Description          | Qty |
|------|-----------|----------------------|-----|
| 1    | 1/2F      | 1/2" Nyloc Nut       | 4   |
| 2    | 12x2FBZP  | 1/2"x2" FINE BOLT    | 4   |
| 3    | 84RM-SB02 | SWING BLADE (Clk)    | 2   |
| 4    | 84RM-SBB  | BLADE BACK (285 CTR) | 2   |
| 5    | DF-BMP    | BLADE MOUNT          | 1   |
| 6    | FWM16     | M16 FLAT WASHER      | 4   |
| 7    | M16       | M16 NYLOC NUT        | 2   |
| 8    | M16x50BZP | M16x50 BOLT          | 2   |
| 9    | 84RM-SBBB | BLADE BUSH           | 2   |
| 10   | 8SM9/3    | BLADE BACK SPACER    | 4   |

## PTO Shafts


| MACHINE                                 | PART NO:        | DESCRIPTION:                       |
|-----------------------------------------|-----------------|------------------------------------|
| 6000/6300/8000/8400/16000 TDR-REAR DECK | T500810ENC12RW6 | T50 SHAFT SLIP CLUTCH              |
| 11000 / 15000 ROLLERMOWER WINGS         | E50020S132132   | WING PTO SHAFT COMPLETE            |
| 12000 / 18000 ROLLERMOWER               | T50-12W         | WING PTO SHAFT COMPLETE            |
| 12000 / 18000 ROLLERMOWER               | T50-360         | T50 - 6 SPLINE / 48mm YOKE         |
| 12000 3PL / 12000 / 18000 ROLLERMOWER   | V600910ENC12RW6 | V60 SHAFT SLIP CLUTCH              |
| 16000 / 20000 TDR WING                  | T500350F132132  | T50 SHAFT STANDARD                 |
| TDR PRIMARY / 12000 & 18000 R.MOWER     | V601210CEC02RW6 | V60 SHAFT WIDE ANGLE / SLIP CLUTCH |
| 20000 TDR-REAR DECK                     | T501060ENC12RW6 | T50 SHAFT SLIP CLUTCH              |

## Gearboxes

| Machine                                | Gearbox  |
|----------------------------------------|----------|
| 6000,8000,12000, 12000GR3PTL, TDR16000 | LF205    |
| 6300, 8400                             | LF205H   |
| 18000, TDR's,                          | LF205T   |
| 12000, 18000, 12000GR3PTL              | LF205T21 |
| 6300, 8400                             | LF205TH  |
| R/mower for Aebi                       | MR90     |
| TDR wing                               | S2061    |
| 6000, 8000, 6300, 8400,                | T27A     |
| 6000, 8000, 6300, 8400 - front mounted | T27A1    |
| 12000, 12000GR3PTL                     | T292004  |
| 12000, 18000, 12000GR3PTL              | T292B    |

## Amended Coupling and Bush Insert

Refers to part number **MJRC-113** PCD Rubber Coupling. Fitted on all machines from 2011 and replaces the old coupling **NT55A**.



| Item | Part No  | Description         | Qty |
|------|----------|---------------------|-----|
| 1    | MJRC-114 | COUPLING BUSHING    | 6   |
| 2    | 1/2F     | 1/2" FINE NYLOC NUT | 6   |

| Item | Part No       | Description                       | Qty |
|------|---------------|-----------------------------------|-----|
| 3    | 12X214SKS12.9 | 1/2"x2 1/4" FINE SOCKET HEAD 12.9 | 6   |
| 4    | MJRC-113      | 113 PCD RUBBER COUPLING           | 1   |